276/277 Claims Inquiry/Response Transactions Companion Guide ANSI ASC X12N 276/277 (Version 4010A)

State of Washington Department of Social & Health Services



Prepared by: CNSI 3000 Pacific Avenue S.E. Suite 200 Olympia, Washington 98501



April 27, 2009

276/277 Claims Inquiry/Response Transactions Companion Guide ANSI ASC X12N 276/277 (Version 4010A)

State of Washington Department of Social & Health Services

WAMMIS-CG-276-277-01-04 April 27, 2009 Approved By:

CNSI Project Manager	DSHS Project Manager
Date	Date

Disclaimer

This companion guide for the ANSI ASC X12N 276/277 transaction has been created for use in conjunction with the standard Implementation Guide. It should not be considered a replacement for the Implementation Guide, but rather used as an additional source of information. The companion guide contains data clarifications derived from specific business rules that apply exclusively to Medicaid processing for Washington State DSHS. The guide also includes useful information about sending and receiving data to and from the ProviderOne system.



Revision History

Documented revisions are maintained in this document through the use of the Revision History Table shown below. All revisions made to this companion guide after the creation date are noted along with the date, page affected, and reason for the change.

Revision Level	Date	Page	Description	Change Summary
WAMMIS-CG276-277-00- 00-01	06/09/08		Initial Document	
WAMMIS-CG276-277-00- 00-02	06/27/08		Incorporated DSHS comments	
WAMMIS-CG-276-277-01- 01	06/28/08		Final Delivery	
WAMMIS-CG-276-277-01- 02	07/16/08		Re-Delivery of the Deliverable based on DSHS non- Acceptance and identification of deficiencies	
WAMMIS-CG-276-277-01- 03	10/01/08		Re-Delivery of the Deliverable based on DSHS suggested changes to Trading Partners Testing Procedures verbiage	
WAMMIS-CG-276-277-01- 04	04/27/09		Changes to verbiage and configuration	





Contents

Disclaimer	i
Revision History	.ii
Introduction	5
1.1 Document Purpose	5
2 Technical Infrastructure and Procedures	7
2.1 Technical Environment	7 8 9
2.3.1 SFTP Set-up	14
2.4 Transaction Standards	
2.4.1 General Information	16 17 18
3 Transaction Specifications	19





1 Introduction

The Administrative Simplification provisions of the Health Insurance Portability and Accountability Act of 1996 (HIPAA, Title II) includes requirements that national standards be established for electronic health care transactions, and national identifiers for providers, health plans, and employers. This requires Washington State Department of Social and Health Services (DSHS) to adopt standards to support the electronic exchange of administrative and financial health care transactions between covered entities (health care providers, health plans, and healthcare clearinghouses).

The intent of these standards is to improve the efficiency and effectiveness of the nation's health care system by encouraging widespread use of electronic data interchange standards in health care. The intent of the law is that all electronic transactions for which standards are specified must be conducted according to the standards. These standards were not imposed arbitrarily but were developed by processes that included significant public and private sector input.

1.1 Document Purpose

Companion Guides are used to clarify the exchange of information on HIPAA transactions between the DSHS ProviderOne system and its trading partners. DSHS defines trading partners as covered entities that either submit or retrieve HIPAA batch transactions to and from ProviderOne.

This Companion Guide provides information related to electronic submission of 276/277 transactions to DSHS by approved trading partners. This Companion Guide is intended for trading partner use in conjunction with the ANSI ASC X12N National Implementation Guides listed below. The ANSI ASC X12N 276/277 Implementation Guides can be accessed at http://www.wpc-edi.com.

- ASC X12N 276/277 (004010X093) Combined
- ASC X12N 276/277 (004010X093A1) (Addenda)

1.1.1 Intended Users

Companion Guides are intended to be used by members/technical staff of trading partners who are responsible for electronic transaction/file exchanges.

1.1.2 Relationship to HIPAA Implementation Guides

Companion Guides are intended to supplement the HIPAA Implementation Guides for each of the HIPAA transactions. Rules for format, content, and field values can be found in the Implementation Guides. This Companion Guide describes the technical interface environment with DSHS, including





connectivity requirements and protocols, and electronic interchange procedures. This guide also provides specific information on data elements and the values required for transactions sent to or received from DSHS.

Companion Guides are intended to supplement rather than replace the standard Implementation Guide for each transaction set. The information in these documents is not intended to:

- Modify the definition, data condition, or use of any data element or segment in the standard Implementation Guides.
- Add any additional data elements or segments to the defined data set.
- Utilize any code or data values that are not valid in the standard Implementation Guides.
- Change the meaning or intent of any implementation specifications in the standard Implementation Guides.

1.2 Transmission Schedule

N/A





2 Technical Infrastructure and Procedures

2.1 Technical Environment

2.1.1 Communication Requirements

This section will describe how trading partners can send 276/277 transactions to DSHS using 2 methods:

- Secure File Transfer Protocol (SFTP)
- ProviderOne Web Portal

2.1.2 Testing Process

Completion of the testing process must occur prior to submitting electronic transactions in production to ProviderOne. Testing is conducted to ensure the following levels of HIPAA compliance:

- Level 1 Syntactical integrity: Testing of the EDI file for valid segments, segment order, element attributes, testing for numeric values in numeric data elements, validation of X12 or NCPDP syntax, and compliance with X12 and NCPDP rules.
- 2. Level 2 Syntactical requirements: Testing for HIPAA Implementation Guide-specific syntax requirements, such as limits on repeat counts, used and not used qualifiers, codes, elements and segments. It will also include testing for HIPAA required or intra-segment situational data elements, testing for non-medical code sets as laid out in the Implementation Guide, and values and codes noted in the Implementation Guide via an X12 code list or table.
- 3. Level 7 DSHS defined custom rules. All transactions will be validated against DSHS defined custom rules as specified in the Transaction Specification section.

Additional testing may be required in the future to verify any changes made to the ProviderOne system. Changes to the ANSI formats may also require additional testing. Assistance is available throughout the testing process.

Trading Partner Testing Procedures

- ProviderOne companion guides and trading partner enrollment package are available for download via the web at http://maa.dshs.wa.gov/dshshipaa
- 2. The Trading Partner completes the Trading Partner Agreement and submits the signed agreement to DSHS.

Submit to: Provider Enrollment





PO Box 45562

Olympia, WA 98504-5562

For Questions call 1-800-562-3022 option 2, then option 5

- 3. The trading partner is assigned a Submitter ID, Domain, Logon User ID and password.
- 4. The trading partner submits all HIPAA test files through the ProviderOne web portal or Secure File Transfer Protocol (SFTP).
 - Web Portal URL: https://www.waproviderone.org/edi
 - SFTP URL: sftp://ftp.waproviderone.org/
- 5. The trading partner downloads acknowledgements for the test file from the ProviderOne web portal or SFTP.
- 6. If ProviderOne system generates a positive TA1 and positive 997 acknowledgement, the file is successfully accepted. The trading partner is then approved to send 276/277 HIPAA files in production.
- 7. If the test file generates a negative TA1 or negative 997 acknowledgment, then the submission is unsuccessful and the file is rejected. The trading partner needs to resolve all the errors that are reported on the negative TA1 or negative 997 and resubmit the file for test. Trading partners will continue to test in the testing environment until they receive a positive TA1 and positive 997.

2.1.3 Who to contact for assistance

- Telephone Number: 1-800-562-3022
 - Select option 2
 - Select option 4
 - All calls result in the assignment of a Ticket Number for problem tracking
- Hours: 8:00 AM 5:00 PM Pacific Standard Time, Monday through Friday
- Information required for initial call:
 - Topic of Call (setup, procedures, etc.)
 - Name of caller
 - Submitter ID Number
 - Organization of caller
 - Telephone number of caller
 - Nature of problem (connection, receipt status, etc.)
- Information required for follow up call(s):






Assigned Ticket Number

2.2 Upload batches via Web Interface

Once logged into the ProviderOne Portal, select the Admin Tab and the following options will be presented to the user:




Click on the HIPAA option to manage the HIPAA transactions.



State of Washington ProviderOne Project Companion Guide



In the HIPAA Transaction Management screen, the user can Upload file and Retrieve Acknowledgement/Response as shown below:









In order to upload a file, the following steps are followed:

Click on the Upload button to upload a HIPAA file



On file upload page click on the Browse button to attach HIPAA file from local file system. After selecting the file from the local file system, press OK to start the upload.






State of Washington ProviderOne Project Companion Guide




Once the file is uploaded to the ProviderOne system success/failure message is displayed on the screen along with transmission details.







Select Retrieve Acknowledgement/Response option from the HIPAA screen to retrieve Acknowledgements/Responses (TA1, 997, 271, 277, 820, 834, 835, or 277U) as shown below:







2.3 Set-up, Directory, and File Naming Convention

2.3.1 SFTP Set-up

Trading partners can contact 1-800-562-3022 for information on establishing connections through the FTP server. Upon completion of set-up, they will receive additional instructions on FTP usage.

2.3.2 SFTP Directory Naming Convention

There would be two categories of folders under Trading Partner's SFPT folders:

- 1. <u>TEST Trading Partners should submit and receive their test files under this root folder</u>
- 2. <u>PROD Trading Partners should submit and receive their production files under this root folder</u>

<u>Following folder will be available under TEST/PROD folder within SFTP</u> root of the Trading Partner:

<u>'HIPAA Inbound' - This folder should be used to drop the Inbound files</u> that needs to be submitted to DSHS

'HIPAA Ack' - Trading partner should look for acknowledgements to the files submitted in this folder. TA1, 997 and custom error report will be available for all the files submitted by the Trading Partner


<u>'HIPAA Outbound' – X12 outbound transactions generated by DSHS will be available in this folder</u>

<u>'HIPAA Error' – Any inbound file that is not HIPAA compliant or is not recognized by ProviderOne will be moved to this folder</u>





Folder structure will appear as:



2.3.3 File Naming Convention

The HIPAA Subsystem Package is responsible for assisting ProviderOne activities related to Electronic Transfer and processing of Health Care and Health Encounter Data, with a few exceptions or limitations.

HIPAA files are named:

For Inbound transactions:

HIPAA.<TPId>.<datetimestamp>.<originalfilename>.<dat>

Example of file name: HIPAA.101721500.122620072100.P_1.dat

- <TPId> is the Trading Partner Id
- <datetimestamp> is the Date timestamp
- <originalfilename> is the original file name which is submitted by the trading partner.

For Outbound transactions:

HIPAA.<TPId>.<datetimestamp>.<TxID>.O.<out>

Example of file name: HIPAA.16576000.12262007211315.277.O.out

- <TPId> is the Trading Partner Id
- <datetimestamp> is the Date timestamp
- <TxID> is the Transaction Id.





2.4 Transaction Standards

2.4.1 General Information

HIPAA standards are specified in the Implementation Guide for each mandated transaction and modified by authorized Addenda. Currently, the 276/277 transaction has one Addendum. This Addendum has been adopted as final and is incorporated into DSHS requirements.

An overview of requirements specific to the transaction can be found in the 276/277 Implementation Guide. Implementation Guides contain information related to:

- Format and content of interchanges and functional groups
- Format and content of the header, detailer and trailer segments specific to the transaction
- Code sets and values authorized for use in the transaction
- Allowed exceptions to specific transaction requirements

Transmission sizes are limited based on two factors:

- Number of Segments/Records allowed by DSHS
- DSHS file size limitations

DSHS limits a file size to 50 MB while uploading HIPAA files through the ProviderOne web portal and 100 MB through FTP.

2.4.2 Data Format

Delimiters

The ProviderOne will use the following delimiters on outbound transactions:

- Data element separator Asterisk (*)
- Sub-element Separator colon (:)
- Segment Terminator Tilde (~)





Dates

The following rules apply to any dates in this transaction:

- All dates will be formatted according to Year 2000 compliance, CCYYMMDD, except for the ISA09 element where the date format is YYMMDD.
- The only value acceptable for "CC" (century) is 20. The exception to this rule is for any of the Date of Birth values.
- Time is in military time format, 1 to 24 to indicate hours and 00 to 59 to indicate minutes and/or seconds. ISA10 and GS05 elements are formatted HHMM (ie 2115 defines the time of 9:15 p.m).
- No spaces or character delimiters should be used in presenting dates or times.
- Dates that are logically invalid (e.g. 20071301) are rejected.

Field Length

HIPAA regulations specify field lengths for all of the data elements of the 276/277 transaction. For some of these data elements, ProviderOne processes fewer characters than the maximum allowed. The Transaction Specifications in section 3 display the ProviderOne field lengths.

Phone Numbers

Phone numbers are presented as contiguous number strings, without dashes or parenthesis markers. For example, the phone number (800) 555-1212 should be presented as 8005551212. Area codes should always be included.

2.4.3 Data Interchange Conventions

When accepting/sending 276/277 transactions from trading partners, DSHS follows standards developed by the Accredited Standards Committee (ASC) of the American National Standards Institute (ANSI). These standards involve Interchange (ISA/IEA) and Functional Group (GS/GE) Segments or "outer envelopes". All 276/277 Transactions should follow the HIPAA guideline. Please refer to the 276/277 Implementation Guide for ISA/IEA envelop, GS/GE functional group and ST/SE transaction specifications. Specific information on how individual data elements are populated by DSHS on ISA/IEA and GS/GE envelopes are shown in the table beginning later in this section.

The ISA/IEA Interchange Envelope, unlike most ASC X12 data structures has fixed field length. The entire data length of the data element should be





considered and padded with spaces if the data element length is less than the field length.

Example of ISA with the entire data length with padded spaces:

ISA*00* *00* *ZZ*123456789 *ZZ*77045 *040303*1300*U*00401*000001001*1*T*:~

DSHS accepts 276 transaction files with single ISA/IEA and GS/GE envelopes. 276 transactions can have multiple ST/SE envelops within the same GS/GE envelope.

2.4.4 Acknowledgement Procedures

Once the file is submitted by the trading partner and is successfully received by the ProviderOne system, a response in the form of TA1 and 997 acknowledgment transactions will be placed in appropriate folder (on the FTP server) of the trading partner. The ProviderOne system generates positive TA1 and positive 997 acknowledgement, if the submitted HIPAA file meets HIPAA standards related to syntax and data integrity. For files, which do not meet the HIPAA standards a negative TA1 and/or negative 997 are generated and sent to the trading partner.

2.4.5 Rejected Transmissions and Transactions

276 transactions will be rejected if the file does not meet HIPAA standards for syntax, data integrity and structure (Strategic National Implementation Process (SNIP) type 1 and 2). Additionally, the transactions will be validated against DSHS defined custom rules (SNIP type 7) as specified in the Transaction Specification section. Non-compliance of the custom rules will result in rejection of the transaction.





3 Transaction Specifications

The following are Batch and Data Direct Entry (DDE) access methods supported by ProviderOne:

- 1. Access by ProviderOne Client ID; Required information
 - Provider Id
 - ProviderOne Client ID
 - Date of Service
- 2. Access by Claim Transaction Control Number (TCN); Required information
 - Provider Id
 - Claim TCN
 - ProviderOneClient ID
 - Date of Service

276 Claim Status Inquiry

Page	Loop	Segment	Data Element	Element Name	Comments
		Inte	erchange (Control Header	
App. B	Envelope	ISA	01	Authorization Information Qualifier	Please use '00'
Арр. В	Envelope	ISA	02	Authorization Information	Please use 10 spaces
Арр. В	Envelope	ISA	03	Security Information Qualifier	Please use '00'
Арр. В	Envelope	ISA	04	Security Information	Please use 10 spaces
Арр. В	Envelope	ISA	05	Interchange ID Qualifier	Please use 'ZZ'
Арр. В	Envelope	ISA	06	Interchange Sender ID	Please use the 9- digit ProviderOne ID
Арр. В	Envelope	ISA	07	Interchange ID Qualifier	Please use 'ZZ'
Арр. В	Envelope	ISA	08	Interchange Receiver ID	Please use '77045' followed by spaces
Арр. В	Envelope	ISA	09	Interchange Date	Date format is YYMMDD
Арр. В	Envelope	ISA	10	Interchange Time	Time format is HHMM





					1889
Page	Loop	Segment	Data Element	Element Name	Comments
Арр. В	Envelope	ISA	11	Interchange Control Standards Identifier	Use 'U'
Арр. В	Envelope	ISA	12	Interchange Control Version Number	Use '00401'
Арр. В	Envelope	ISA	13	Interchange Control Number	Must be identical to IEA02
Арр. В	Envelope	ISA	14	Acknowledgment Requested	Please use '1'
					Please use 'T' when submitting a Test File
Арр. В	Envelope	ISA	15	Usage Indicator	Please use 'P' when submitting a Production File
Арр. В	Envelope	ISA	16	Component Element Separator	Please use ':'
- 				Group Header	
App. B	Envelope	GS	01	Functional Identifier Code	Please use 'HR'
Арр. В	Envelope	GS	02	Application Sender's Code	Please use the 9- digit ProviderOne ID
Арр. В	Envelope	GS	03	Application Receiver's Code	Please use '77045'
Арр. В	Envelope	GS	04	Date	Date format is CCYYMMDD
Арр. В	Envelope	GS	05	Time	Time format is HHMM
Арр. В	Envelope	GS	06	Group Control Number	Must be identical to GE02
Арр. В	Envelope	GS	07	Responsible Agency Code	Use 'X'
Арр. В	Envelope	GS	08	Version / Release / Industry Identifier Code	Use '004010X093A1'
			ransactio	n set Header	
49	Header	ST	01	Transaction Set Identifier Code	Use '276'
49	Header	ST	02	Transaction Set Control Number	Must be identical to SE02





Page	Loop	Segment	Data	Element Name	Comments
rage	Соор	Segment	Element	Liement Name	Comments
		Begin	of Hierard	hical Transaction	
				Hierarchical	
50	Header	BHT	01	Structure Code	Use '0010'
	l			Transaction Set	
50	Header	BHT	02	Purpose Code	Use '13'
50	Header	BHT	04	Date	Date format is CCYYMMDD
30	пеацеі			Source Level	CCTTIVIIVIDD
		1		Hierarchical ID	
52	2000A	HL	01	Number	
				Hierarchical Level	
52	2000A	HL	03	Code	Use '20'
				Hierarchical Child	
53	2000A	HL	04	Code	Use '1'
		T	Paye	r Name	
54	2100A	NM1	01	Entity Identifier Code	Use 'PR'
				Entity Type	
55	2100A	NM1	02	Qualifier	Use '2'
	0.400.4			Name Last or	Please use 'WA
55	2100A	NM1	03	Organization Name	State DSHS'
55	2100A	NM1	08	Identification Code Qualifier	Please use 'PI'
56	2100A 2100A	NM1	09	Identification Code	Please use '77045'
00	2100/1			ct Information	1 10430 430 11040
				Contact Function	
58	2100A	PER	01	Code	Use 'IC'
				Name	Please use 'WA
50	04004	DED	00		State DSHS Provider
58	2100A	PER	02	Communication	Relations'
58	2100A	PER	02	Number Qualifier	Diagon upo 'TE'
36	2100A	FEN	03	Communication	Please use 'TE' Please use
58	2100A	PER	04	Number	'8005623022'
		Inf	ormation l	Receiver Level	
				Hierarchical ID	
60	2000B	HL	01	Number	
				Hierarchical Parent	
60	2000B	HL	02	ID Number	





Page	Loop	Segment	Data Element	Element Name	Comments		
				Hierarchical Level			
61	2000B	HL	03	Code	Use '21'		
				Hierarchical Child			
61	2000B	HL	04	Code	Use '1'		
		Inf	ormation I	Receiver Name			
	0.4000			Entity Identifier			
62	2100B	NM1	01	Code	Use '41'		
00	04000	NINAA	00	Entity Type	Please use		
63	2100B	NM1	02	Qualifier	appropriate code		
00	0400D	NINA	00	Name Last or	Enter Last Name or		
63	2100B	NM1	03	Organization Name	Organization Name		
63	2100B	NM1	04	Name First	Required if NM102=1 Please use '46' for		
					non-healthcare		
					providers		
					p. c		
					Please use 'XX' for		
					healthcare providers		
				Identification Code			
63	2100B	NM1	08	Qualifier			
	ZIOOB	141011		Quamor	Please enter 9 digit		
					ProviderOne ID if		
					NM108 = 46		
					Diagon autor NDI if		
					Please enter NPI if NM108 = XX		
					INIVITUO = XX		
63	2100B	NM1	09	Identification Code			
			Service Pr	ovider Level			
				Hierarchical ID			
65	2000C	HL	01	Number			
				Hierarchical Parent			
65	2000C	HL	02	ID Number			
				Hierarchical Level			
66	2000C	HL	03	Code	Use '19'		
				Hierarchical Child			
66	2000C	HL	04	Code	Use '1'		
			Provid	er Name			





					1889
Page	Loop	Segment	Data Element	Element Name	Comments
				Entity Identifier	
67	2100C	NM1	01	Code	Use '1P'
00	01000	NINA	00	Entity Type	Please use
68	2100C	NM1	02	Qualifier	appropriate code
68	2100C	NM1	03	Name Last or Organization Name	Enter Last Name or Organization Name
68	2100C	NM1	04	Name First	Required if NM102 = 1
					Please use 'SV' for non-healthcare providers
					Please use 'XX' for healthcare providers
68	2100C	NM1	08	Identification Code Qualifier	
					Please enter 9 digit ProviderOne ID if NM108 = SV
					Please enter NPI if NM108 = XX
	04000	NINA	00		
69	2100C	NM1	09	Identification Code	
	T	T	Subscri	ber Level	
70	2000D	HL	01	Hierarchical ID Number	
70	2000D	HL	02	Hierarchical Parent ID Number	
71	2000D	HL	03	Hierarchical Level Code	Use '22'
71	2000D	HL	04	Hierarchical Child Code	Please use '0'
		Subscri	ber Demo	graphic Information	
72	2000D	DMG	01	Date Time Period Format Qualifier	Use 'D8'





					1889
Page	Loop	Segment	Data Element	Element Name	Comments
					Please enter
					Subscriber Date of
73	2000D	DMG	02	Date Time Period	Birth
					Please use
73	2000D	DMG	03	Gender Code	appropriate code
				ber Name	
		Used	i for acces	s methods 1 & 2	
				Entity Identifier	
74	2100D	NM1	01	Code	Please use 'QC'
75	0400D	NINAA	00	Entity Type	Diameter 141
75	2100D	NM1	02	Qualifier	Please use '1'
75	0400D	NINAA	00	Name Last or	Enter Last Name of
75	2100D	NM1	03	Organization Name	Subscriber
75	0400D	NINAA	0.4	Name Cinet	Enter First Name of
75	2100D	NM1	04	Name First	Subscriber
					Enter Middle Initial of
75	0400D	NINAA	٥٦	Niama a Mininia	Subscriber if
75	2100D	NM1	05	Name Middle	available
75	0400D	NINAA	00	Identification Code	Diagram was IMI
75	2100D	NM1	80	Qualifier	Please use 'MI'
70	01000	NINA	00	Identification Code	Enter ProviderOne
76	2100D	NM1	09	Identification Code er Trace Number	Client ID
77	0000D		ı		Use '1'
77	2200D	TRN	01	Trace Type Code Reference	Please enter Trace
70	00000	TON	00	Identification	Number
78	2200D	TRN	02		Number
				ntification Number cess method 2	
			seu ioi acc		
				Reference	
	00005			Identification	
80	2200D	REF	01	Qualifier	Use '1K'
	00000		00	Reference Identification	Please enter 21 digit
80	2200D	REF	02		Claim TCN
	1	C	aim Subm	itted Charges	
0.7	00005	A N 4T		Amount Qualifier Code	LL . ITO
87	2200D	AMT	01		Use 'T3'
				Monetary Amount	Please enter Total
88	2200D	AMT	02		Claim Charged Amount
00	22000	AIVII	UZ		AIIIOUIII





	Claim Service Date Used for access methods 1 & 2					
89	2200D	DTP	01	Date/Time Qualifier	Use '232'	
90	2200D	DTP	02	Date Time Period Format Qualifier	Use 'RD8'	
90	2200D	DTP	02	Date Time Period	Date format is CCYYMMDD - CCYYMMDD	
		,	Transactio	n Set Trailer		
123	Trailer	SE	01	Number of Included Segments	The total number of segments in the transaction set inclusive to the ST-SE segments	
123	Trailer	SE	02	Transaction Set Control Number	Must be identical to ST02	
		F	unctional	Group Trailer		
Арр. В	Trailer	GE	01	Number of Transaction Sets Included		
Арр. В	Trailer	GE	02	Group Control Number	Must be identical to GS06	
Interchange Control Trailer						
Арр. В	Trailer	IEA	01	Number of Included Functional Groups		
Арр. В	Trailer	IEA	02	Interchange Control Number	Must be identical to ISA13	

277 Claim Status Response

Page	Loop	Segment	Data Element	Element Name	Comments		
	Interchange Control Header						
Арр. В	Envelope	ISA	01	Authorization Information Qualifier	Receive '00'		
Арр. В	Envelope	ISA	02	Authorization Information	Receive 10 spaces		
Арр. В	Envelope	ISA	03	Security Information	Receive '00'		





					1889
Page	Loop	Segment	Data Element	Element Name	Comments
				Qualifier	
Арр. В	Envelope	ISA	04	Security Information	Receive 10 spaces
Арр. В	Envelope	ISA	05	Interchange ID Qualifier	Receive 'ZZ'
Арр. В	Envelope	ISA	06	Interchange Sender ID	Receive '77045' followed by spaces
Арр. В	Envelope	ISA	07	Interchange ID Qualifier	Receive 'ZZ'
Арр. В	Envelope	ISA	08	Interchange Receiver ID	Receive 9-digit ProviderOne ID
Арр. В	Envelope	ISA	09	Interchange Date	Receive Date format in YYMMDD
Арр. В	Envelope	ISA	10	Interchange Time	Receive Time format in HHMM
Арр. В	Envelope	ISA	11	Interchange Control Standards Identifier	Receive 'U'
Арр. В	Envelope	ISA	12	Interchange Control Version Number	Receive '00401'
Арр. В	Envelope	ISA	13	Interchange Control Number	Must be identical to IEA02
Арр. В	Envelope	ISA	14	Acknowledgment Requested	Receive '0'
					Receive 'T' when submitting a Test File
App. B	Envelope	ISA	15	Usage Indicator	Receive 'P' when submitting a Production File
		ISA	16	Component	Receive ':'
App. B	Envelope			Element Separator Group Header	I I I I I I I I I I I I I I I I I I I
			unctional (
Арр. В	Envelope	GS	01	Functional Identifier Code	Receive 'HN'
Арр. В	Envelope	GS	02	Application Sender's Code	Receive '77045'





Page	Loop	Segment	Data Element	Element Name	Comments			
Арр. В	Envelope	GS	03	Application Receiver's Code	Receive 9-digit ProviderOne Trading Partner ID			
Арр. В	Envelope	GS	04	Date	Receive Date format in CCYYMMDD			
Арр. В	Envelope	GS	05	Time	Receive Time format in HHMM			
Арр. В	Envelope	GS	06	Group Control Number	Must be identical to GE02			
Арр. В	Envelope	GS	07	Responsible Agency Code	Receive 'X'			
Арр. В	Envelope	GS	08	Version / Release / Industry Identifier Code	Receive '004010X093A1'			
		1	ransaction	n Set Header				
129	Header	ST	01	Transaction Set Identifier Code	Receive '277'			
129	Header	ST	02	Transaction Set Control Number	Must be identical to SE02			
		Begin	of Hierard	chical Transaction				
130	Header	BHT	01	Hierarchical Structure Code	Receive '0010'			
130	Header	BHT	02	Transaction Set Purpose Code	Receive '08'			
130	Header	BHT	03	Reference Identification				
131	Header	BHT	04	Date	Receive Date format in CCYYMMDD			
131	Header	BHT	06	Transaction Type Code	Receive 'DG'			
		In	formation	Source Level				
132	2000A	HL	01	Hierarchical ID Number				
132	2000A	HL	03	Hierarchical Level Code	Receive '20'			
133	2000A	HL	04	Hierarchical Child Code	Receive '1'			
	Payer Name							
134	2100A	NM1	01	Entity Identifier Code	Receive 'PR'			





					1889
Page	Loop	Segment	Data Element	Element Name	Comments
135	2100A	NM1	02	Entity Type Qualifier	Receive '2'
135	2100A	NM1	03	Name Last or Organization Name	Receive 'WA State DSHS'
135	2100A	NM1	08	Identification Code Qualifier	Receive 'PI'
136	2100A	NM1	09	Identification Code	Receive '77045'
		Pa	yer Conta	ct Information	
138	2100A	PER	01	Contact Function Code	Receive 'IC'
138	2100A	PER	02	Name	Receive 'WA State DSHS Provider Relations'
138	2100A	PER	03	Communication Number Qualifier	Receive 'TE'
138	2100A	PER	04	Communication Number	Receive '8005623022'





Information Receiver Level								
Hierarchical ID								
140	2000B	HL	01	Number				
140	2000B	HL	02	Hierarchical Parent ID Number				
141	2000B	HL	03	Hierarchical Level Code	Receive '21'			
141	2000B	HL	04	Hierarchical Child Code	Receive '1'			
			nformatio	n Receiver Name				
142	2100B	NM1	01	Entity Identifier Code	Receive '41'			
143	2100B	NM1	02	Entity Type Qualifier	Receive information submitted from 276 file			
143	2100B	NM1	03	Name Last or Organization Name	Receive information submitted from 276 file			
143	2100B	NM1	04	Name First	Receive information submitted from 276 file			
144	2100B	NM1	08	Identification Code Qualifier	Receive information submitted from 276 file			
144	2100B	NM1	09	Identification Code	Receive information submitted from 276 file			
			Service	Provider Level				
145	2000C	HL	01	Hierarchical ID Number				
145	2000C	HL	02	Hierarchical Parent ID Number				
146	2000C	HL	03	Hierarchical Level Code	Receive '19'			
146	2000C	HL	04	Hierarchical Child Code	Receive '1'			
			Prov	vider Name				
147	2100C	NM1	01	Entity Identifier Code	Receive '1P'			
148	2100C	NM1	02	Entity Type Qualifier	Receive information submitted from 276 file			





1	1	T	1	ı	7889	
					Receive information	
	_			Name Last or	submitted from 276	
148	2100C	NM1	03	Organization Name	file	
148	2100C	NM1	04	Name First		
					Receive information	
				Identification Code	submitted from 276	
148	2100C	NM1	08	Qualifier	file	
					Receive information	
149	2100C	NM1	09	Identification Code	submitted from 276 file	
149	2100C	INIVII			IIIE	
			Subscr	iber Level		
				Hierarchical ID		
150	2000D	HL	01	Number		
				Hierarchical Parent		
150	2000D	HL	02	ID Number		
				Hierarchical Level		
151	2000D	HL	03	Code	Receive '22'	
				Hierarchical Child		
151	2000D	HL	04	Code	Receive '0'	
		Subsc	riber Demo	graphic Information		
				Date Time Period		
152	2000D	DMG	01	Format Qualifier	Receive 'D8'	
					Receive Subscriber	
153	2000D	DMG	02	Date Time Period	Birth Date	
					Receive Subscriber	
153	2000D	DMG	03	Gender Code	Gender Code	
			Subscr	iber Name		
				Entity Identifier		
154	2100D	NM1	01	Code	Receive 'QC'	
				Entity Type		
155	2100D	NM1	02	Qualifier	Receive '1'	
				Name Last or	Receive Subscriber	
155	2100D	NM1	03	Organization Name	Last Name	
					Receive Subscriber	
155	2100D	NM1	04	Name First	First Name	
					Receive Subscriber	
					Middle Name or	
155	2100D	NM1	05	Name Middle	Initial if available	
				Identification Code		
155	2100D	NM1	08	Qualifier	Receive 'MI'	
					Receive ProviderOne	
156	2100D	NM1	09	Identification Code	Client ID	
				er Trace Number	<u>'</u>	
	Ciaini Subinittei Hace Number					





157	2200D	TRN	01	Trace Type Code	Receive '2'
					Receive Trace
				Reference	Number submitted on
158	2200D	TRN	02	Identification	276 file
		Cla	aim Level S	Status Information	
159	2200D	STC	01-1	Industry Code	Receive Health Care Claim Status Category Code from Code Source 507
159	2200D	STC	01-2	Industry Code	Receive Health Care Claim Status Code from Code Source 508
					Receive Status Information Effective Date (Date of Inquiry)
167	2200D	STC	02	Date	Date format in CCYYMMDD
167	2200D	STC	04	Monetary Amount	Receive Total Claim Charge Amount
					Receive Claim Payment Amount
167	2200D	STC	05	Monetary Amount	The amount will be zero if the adjudication process is not completed
					Receive Adjudication Date
167	2200D	STC	06	Date	Date format in CCYYMMDD
168	2200D	STC	07	Payment Method Code	Receive 'ACH' or 'CHK'
					Check Issue or EFT Effective Date (Always Mondays)
168	2200D	STC	08	Date	Date format in CCYYMMDD
168	2200D	STC	09	Check Number	Receive Check or EFT Trace Number





Payer Claim Identification Number							
				Reference Identification			
170	2200D	REF	01	Qualifier	Receive '1K'		
171	2200D	REF	02	Reference Identification	Receive 21-digit claim Transaction Control Number (TCN)		
		Institu	tional Bill	Type Identification			
NOTE: Receive	this informa	tion only for	Institution	al claims			
172	2200D	REF	01	Reference Identification Qualifier Reference	Receive 'BLT'		
173	2200D	REF	02	Identification	Receive 3-digit Type of Bill		
			dical Reco	rd Identification	- · ·		
NOTE: Receive	this informa	tion only if s	submitted o	n original claim			
174	2200D	REF	01	Reference Identification Qualifier	Receive 'EA'		
175	2200D	REF	02	Reference Identification	Receive Medical Record Number (from 837 2300 loop REF segment)		
			Claim Se	ervice Date			
176	2200D	DTP	01	Date/Time Qualifier	Receive '232'		
177	2200D	DTP	02	Date Time Period Format Qualifier	Receive 'RD8'		
177	2200D	DTP	03	Date Time Period	Receive Claim Service Date in CCYYMMDD - CCYYMMDD format		
		S	Service Lin	e Information			
					DSHS may return the following qualifiers:		
179	2220D	SVC	01-1	Product/Service ID Qualifier	AD HC NU		





1							
					DSHS may return the following codes:		
					AD - ADA Procedure Code HC - HCPCS/CPT Procedure Code		
180	2220D	SVC	01-2	Product/Service ID	NU - UB92 (UB04) Revenue Code		
180	2220D	SVC	01-3	Procedure Modifier	Receive if submitted on the original claim service line		
180	2220D	SVC	01-4	Procedure Modifier	Receive if submitted on the original claim service line		
180	2220D	SVC	01-5	Procedure Modifier	Receive if submitted on the original claim service line		
180	2220D	SVC	01-6	Procedure Modifier	Receive if submitted on the original claim service line		
180	2220D	SVC	02	Monetary Amount	Receive Line Item Charge Amount		
					Receive Line Item Paid Amount		
181	2220D	SVC	03	Monetary Amount	If the adjudication process is not complete, this is zero-filled		
181	2220D	SVC	04	Product/Service ID	Receive the Revenue Code if submitted on the claim here		
181	2220D	SVC	07	Quantity	Receive Units of Service		
Service Line Status Information							





					Receive Health Care Claim Status
					Category Code from
182	2220D	STC	01-1	Industry Code	Code Source 507
183	2220D	STC	01-2	Industry Code	Receive Health Care Claim Status Code from Code Source 508
					Receive Status Information Effective Date (Date of Inquiry)
190	2220D	STC	02	Date	Date format in CCYYMMDD
					Receive Line Item
190	2220D	STC	04	Monetary Amount	Charge Amount
					Receive Line Item Payment Amount
100	00000	0.70	0.5		The amount will be zero if the adjudication process
190	2220D	STC	05	Monetary Amount	is not completed
			I VICE LINE	Reference	
				Identification	
192	2220D	REF	01	Qualifier	Receive 'FJ'
192	2220D	REF	02	Reference Identification	Receive Line Item Control Number from claim (Loop 2400, REF02)
				e Line Date	- /
193	2220D	DTP	01	Date/Time Qualifier	Receive '472'
193	2220D	DTP	02	Date Time Period Format Qualifier	Receive 'RD8'
194	2220D	DTP	03	Date Time Period	Date Format in CCYYMMDD - CCYYMMDD





					1889	
239	Trailer	SE	01	Number of Included Segments	The total number of segments in the transaction set inclusive to the ST-SE segments	
239	Trailer	SE	02	Transaction Set Control Number	Must be identical to ST02	
		F	unctional	Group Trailer		
Арр. В	Trailer	GE	01	Number of Transaction Sets Included		
Арр. В	Trailer	GE	02	Group Control Number	Must be identical to GS06	
	Interchange Control Trailer					
Арр. В	Trailer	IEA	01	Number of Included Functional Groups		
Арр. В	Trailer	IEA	02	Interchange Control Number	Must be identical to ISA13	

